

From: [Moore, Gary](#)
To: ["Don Edgington"](#)
Cc: ["Evan Wortman"](#)
Subject: RE: C&D Profile
Date: Monday, October 29, 2018 9:56:06 AM
Attachments: [HS18100338 FJ Doyle Site Final Level II.PDF](#)

All:

Here is the additional data. There are some additional samples of drainages and then there is paint and wipe samples.

Also, what is the plan for the metal skin on the building? I think we can recycle the metal but not sure how we need to handle the material that has the cat 1 non-friable roofing sealant (peak of the roof). Do we shear off that portion of the metal and dispose and then recycle the remainder of the metal? Let me know what the plan is.

Thanks
Gary Moore

From: Don Edgington [mailto:d.edgington@erllc.com]
Sent: Monday, October 29, 2018 9:28 AM
To: Lara, Alex <Alex.Lara@WestonSolutions.com>; Gavlas, Sean <Sean.Gavlas@WestonSolutions.com>; Jose Ojeda <Jose.Ojeda@WestonSolutions.com>
Cc: Moore, Gary <Moore.Gary@epa.gov>; Delgado, Paige <Delgado.Paige@epa.gov>
Subject: C&D Profile

Good morning, everyone.

I'm preparing waste profiles today and wanted to see if you could send me the results of the wipe sampling conducted on the building to accompany the waste profile once signed by Gary. I don't need the asbestos report, just the most recent sampling.

Thanks,

Don

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this

e-mail in error, please immediately notify by return e-mail. Thank you.